

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Diagram illustrating a peening system setup, showing a cross-section of a containment structure and the associated machinery.

Labels:

- Containment
- Dust Collector
- Vacuum Return
- Separator
- Storage Hopper
- Pressure Generator
- Shot Line
- Actuator
- Shot Feeder
- Dryer
- Filter
- Air Compressor
- Control Center (Remote Trailer)
- Exhaust Air to Plant Ventilation
- Air Filter
- ROGER Manipulator
- Nozzle Assembly

Note: One or two containment penetrations will be required per peening system.

一
五
一

PRIOR ART




FIG. 2




FIG. 4






FIG. 3




CARRIAGE MOVED RIGHT


FIG. 6



FINGERS LOCKED



FINGERS EXTENDED



FINGERS RETRACTED

FIG. 7